Neuroscience Letters, 109 (1990) 357–361
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Altura, B.M., see Huang, Q.F., 113
Altura, B.T., see Huang, Q.F., 113
Amato, G., see Calzà, L., 206
Amos, A., Armstrong, D.M. and Marple-Horvat, D.E., Changes in the discharge patterns of motor cortical neurones associated with volitional changes in stepping in the cat, 107
Antonov, S.M., Kalinina, N.I., Kurchavyj, G.G., Magazanik, L.G., Shupliakov, O.V. and Vesselkin, N.P., Identification of two types of excitatory monosynaptic inputs in frog spinal motoneurones, 82
Armstrong, D.M., see Amos, A., 107
Astier, B., see Kachidian, P., 23
Atlas, D., see Diamant, S., 140

Bagetta, G., Knott, C., Nisticó, G. and Bowery, N.G., Tetanus toxin produces neuronal loss and a reduction in GABAA but not GABAB binding sites in rat hippocampus, 7
Bär, P.R., see Van der Neut, R., 36
Bhave, S.V., Malhotra, R.K., Wakade, T.D. and Wakade, A.R., Veratrine supports the in vitro survival of embryonic chick sympathetic neurons, 201
Bihari, F., see Brudzynski, S.M., 222
Bloch, B., Guitteny, A.F., Normand, E. and Chouham, S., Presence of neuropeptide messenger RNAs in neuronal processes, 259
Blockaert, J., see Manzoni, O.J.J., 146
Bosler, O., see Kachidian, P., 23
Bowery, N.G., see Bagetta, G., 7
Breidbach, O., Dennis, R.D., Keller, M. and Wiegandt, H., Evidence for the expression of a glucuronic acid-containing epitope in the central nervous system of two insects (*Calliphora vicina*' Diptera; *Tenebrio molitor*, Coleoptera), 265
Broere, C.A.J., see Vogels, O.J.M., 62
Brudzynski, S.M. and Bihari, F., Ultrasonic vocalization in rats produced by cholinergic stimulation of the brain, 222
Buisseret, P., see Buisseret-Delmas, C., 48
Buisseret-Delmas, C. and Buisseret, P., Central projections of extraocular muscle afferents in cat, 48

Cadusseau, J., see Plumet, J., 102
Calzà, L., Giardino, L., Piazza, P.V. and Amato, G., Thioridazine chronic administration: a behavioural and autoradiographic study, 206
Carlen, P.L., see McCrea, D.A., 117
Carlton, S.M., Westlund, K.N., Zhang, D., Sorkin, L.S. and Willis, W.D., Calcitonin gene-related peptide containing primary afferent fibers synapse on primate spinothalamic tract cells, 76
Carrasquillo, B., see Silva, W.I., 191
Carter, D.A. and Murphy, D., Vasopressin mRNA in parvocellular neurons of the rat suprachiasmatic nucleus exhibits increased poly(A) tail length following water deprivation, 180
Castellano, C., see Fagioli, S., 212
Choi, B.H., see Geddes, J.W., 54
Chouham, S., see Bloch, B., 259
Conn, P.J., see Desai, M.A., 157
Cotman, C.W., see Geddes, J.W., 54

De Mello, F.G., see Nunes-Mamede, M.L., 174
De Vries, N.J., see Kits, K., 253
Dennis, R.D., see Breidbach, O., 265
Desai, M.A. and Conn, P.J., Selective activation of phospoinositide hydrolysis by a rigid analogue of glutamate, 157
Diamant, S., Schwartz, L. and Atlas, D., Potentiation of neurotransmitter release coincides with potentiation of phosphatidyl inositol turnover. A possible in vitro model for long term potentiation, 140
Diemer, N.H., see Tønder, N., 247
Dragunow, M., Faull, R.L.M. and Jansen, K., MK-801, an antagonist of NMDA receptors, inhibits injury-induced c-*fos* protein accumulation in rat brain, 128
Drucker-Colin, R., see Pérez-de la Mora, M., 315

Ebberink, R.H.M., see Kits, K., 253
Evan, G., see Williams, S., 309

Fagioli, S., Castellano, C., Oliverio, A. and Toffano, G., Effect of chronic GM1 ganglioside administration on passive avoidance retention in mice, 212
Faull, R.L.M., see Dragunow, M., 128
Finiels-Marlier, F., see Manzoni, O.J.J., 146
Frederickson, C.J., see Tønder, N., 247

0304-3940/90/$ 03.50 © 1990 Elsevier Scientific Publishers Ireland Ltd.

Fukuda, M., see Tamura, R., 293
Fuxe, K., see Von Euler, G., 325

Gallagher, J.P., see Phelan, K.D., 287
Garcia-Arrarás, J.E., see Silva, W.I., 191
Gauthier, P., see Monteau, R., 134
Gebrewold, A., see Huang, Q.F., 113
Geddes, J.W., Wong, J., Choi, B.H., Kim, R.C., Cotman, C.W. and Miller, F.D., Increased expression of the embryonic form of a developmentally regulated mRNA in Alzheimer's disease, 54
Giardino, L., see Calzà, L., 206
Gispen, W.H., see Van der Neut, R., 36
Goldenberg, P.Z., Troiano, R.A., Kwon, E.E. and Prineas, J.W., Sera from MS patients and normal controls opsonize myelin, 353
Gottesfeld, Z. and Silverman, P.B., Developmental delays associated with prenatal alcohol exposure are reversed by thyroid hormone treatment, 42
Guitteny, A.F., see Bloch, B., 259

Hadjiconstantinou, M., see Moroi-Fetters, S.E., 304
Hall, R.G., see Ong, J., 169
Heavens, R.P., see Mayer, E., 271
Hesse, G.W. and Shashoua, V.E., Protein synthesis as a function of depth in slices of rat hippocampus, 186
Hilaire, G., see Monteau, R., 134
Hökfelt, T., see Wiesenfeld-Hallin, Z., 217
Hou, Z.-l., see Liu, R.-h., 92
Huang, Q.F., Gebrewold, A., Altura, B.T. and Altura, B.M., Cocaine-induced cerebral vascular damage can be ameliorated by Mg^{2+} in rat brain, 113
Hunt, S.P., see Williams, S., 309
Hurd, Y.L., Weiss, F., Koob, G. and Ungerstedt, U., The influence of cocaine self-administration on in vivo dopamine and acetylcholine neurotransmission in rat caudate-putamen, 227

Ishii, A., see Uchida, K., 282

Jansen, K., see Dragunow, M., 128
Jia, H., see Liu, R.-h., 92
Jin, J.-G. and Nakayama, S., Bile salt potentiates the action of capsaicin on sensory neurones of guinea-pig ileum, 88
Johansen, F.F., see Tønder, N., 247
John, H.A., Microheterogeneity of myelin basic proteins in the partially myelinated spinal roots of the Bar Harbor 129 ReJ muscular dystrophic mouse, 321
Johnston, G.A.R., see Ong, J., 169
Johnston, M.V., see McDonald, J.W., 234
Jones, D., see Mann, D.M.A., 68

Kachidian, P., Astier, B., Renaud, B. and Bosler, O., Adrenergic innervation of noradrenergic locus coeruleus neurons. A dual labeling immunocytochemical study in the rat, 23
Kalinina, N.I., see Antonov, S.M., 82
Kaneda, N., see Uchida, K., 282
Keller, M., see Breidbach, O., 265
Kerr, D.I.B., see Ong, J., 169
Kim, R.C., see Geddes, J.W., 54
Kits, K., De Vries, N.J. and Ebberink, R.H.M., Molluscan insulin-related neuropeptide promotes neurite outgrowth in dissociated neuronal cell cultures, 253
Knott, C., see Bagetta, G., 7
Kohsaka, S., see Uchida, K., 282
Koob, G., see Hurd, Y.L., 227
Krantis, A., Selective uptake of γ-[^{3}H]aminobutyric acid by neural elements and vascular nerves of the rat intestinal submucosa, 1
Kruk, Z.L., see Stamford, J.A., 123
Kucera, J. and Walro, J., Myosin heavy chain expression in developing rat intrafusal muscle fibers, 18
Kurchavyj, G.G., see Antonov, S.M., 82
Kwon, E.E., see Goldenberg, P.Z., 353

Le Peuch, C., see Manzoni, O.J.J., 146
Liu, R.-h., Tang, J.-s., Hou, Z.-l. and Jia, H., Responses of reticulospinal neurons in the lateral reticular nucleus area of the rat to cutaneous noxious and non-noxious stimulation, 92
Lorente, M.J., see Teruel, V., 13
López-Quiroz, D., see Pérez-de la Mora, M., 315

Magazanik, L.G., see Antonov, S.M., 82
Mailleux, P., see Von Euler, G., 325
Malhotra, R.K., see Bhave, S.V., 201
Mann, D.M.A. and Jones, D., Deposition of amyloid (A4) protein within the brains of persons with dementing disorders other than Alzheimer's disease and Down's syndrome, 68
Manzoni, O.J.J., Finiels-Marlier, F., Sassetti, I., Blockaert, J., Le Peuch, C. and Sladeczek, F.A.J., The glutamate receptor of the Q_p-type activates protein kinase C and is regulated by protein kinase C, 146

Marple-Horvat, D.E., see Amos, A., 107
Martinez-Garcia, F., see Teruel, V., 13
Martins, A.R., see Nunes-Mamede, M.L., 174
Mayer, E., Heavens, R.P. and Sirinathsinghji, D.J.S., Autoradiographic localisation of D1 and D2 dopamine receptors in primordial striatal tissue grafts in rats, 271
Méndez-Franco, J., see Pérez-de la Mora, M., 315
McCrea, D.A., Shefchyk, S.J. and Carlen, P.L., Large reductions in composite monosynaptic EPSP amplitude following conditioning stimulation are not accounted for by increased postsynaptic conductances in motoneurons, 117
McDonald, J.W., Silverstein, F.S. and Johnston, M.V., Magnesium reduces *N*-methyl-D-aspartate (NMDA)-mediated brain injury in perinatal rats, 234
Millar, J., see Stamford, J.A., 123
Miller, F.D., see Geddes, J.W., 54
Minokoshi, Y., Saito, M. and Shimazu, T., Adrenergic blockade paradoxically increases lipogenic response of brown adipose tissue to sympathetic nerve stimulation, 341
Miura, M., see Takayama, K., 241
Miyamoto, T., see Sakurai, T., 299
Monteau, R., Gauthier, P., Rega, P. and Hilaire, G., Effects of *N*-methyl-D-aspartate (NMDA) antagonist MK-801 on breathing pattern in rats, 134
Moroi-Fetters, S.E., Neff, N.H. and Hadjiconstantinou, M., Ethylcholine aziridinium ion depletes acetylcholine and causes muscarinic receptor supersensitivity in rat retina, 304
Murphy, D., see Carter, D.A., 180
Murphy, S. and Welk, G., Serotonin inhibits ATP-induced mobilization of arachidonic acid but not phosphoinositide turnover in astrocytes, 152

Nagatsu, T., see Uchida, K., 282
Nakamura, J., see Phelan, K.D., 287
Nakamura, K., see Tamura, R., 293
Nakayama, S., see Jin, J.-G., 88
Neff, N.H., see Moroi-Fetters, S.E., 304
Neuhaus, J., Schmid, E.-M. and Wolburg, H., Stability or orthogonal arrays of particles in murine skeletal muscle and astrocytes after circulatory arrest, and human gliomas, 163
Nieuwenhuys, R., see Vogels, O.J.M., 62
Nisticó, G., see Bagetta, G., 7
Nitsch, C., see Trudrung, P., 277
Normand, E., see Bloch, B., 259
Nunes-Mamede, M.L., De Mello, F.G. and Martins, A.R., In ovo and in culture development of chick retinal angiotensin converting enzyme, 174
Oestreicher, A.B., see Van der Neut, R., 36
Okada, J., see Takayama, K., 241
Okada, Y., see Sakurai, T., 299
Oliverio, A., see Fagioli, S., 212
Ong, J., Kerr, D.I.B., Johnston, G.A.R. and Hall, R.G., Differing actions of baclofen and 3-amino-propylphosphinic acid in rat neocortical slices, 169
Ono, T., see Tamura, R., 293

Pérez-de la Mora, M., López-Quiroz, D., Méndez-Franco, J. and Drucker-Colin, R., Chronic administration of amphetamine increases glutamic acid decarboxylase activity in the rat substantia nigra, 315
Phelan, K.D., Nakamura, J. and Gallagher, J.P., Histamine depolarizes rat medial vestibular nucleus neurons recorded intracellularly in vitro, 287
Piazza, P.V., see Calzà, J., 206
Plumet, J., Cadusseau, J. and Roger, M., Fetal cortical transplants reduce motor deficits resulting from neonatal damage to the rat's frontal cortex, 102
Pompeiano, M. and Tononi, G., Changes in pontine muscarinic receptor binding during sleep–waking states in the rat, 347
Prineas, J.W., see Goldenberg, P.Z., 353

Rega, P., see Monteau, R., 134
Renaud, B., see Kachidian, P., 23
Reuss, S., Stehle, J., Schröder, H. and Vollrath, L., The role of the hypothalamic paraventricular nuclei for the regulation of pineal melatonin synthesis: new aspects derived from the vasopressin-deficient Brattleboro rat, 196
Roger, M., see Plumet, J., 102
Rogers, B.C. and Tilson, H.A., Kainate-induced functional deficits are not blocked by MK-801, 335

Saito, M., see Minokoshi, Y., 341
Sakurai, T., Miyamoto, T. and Okada, Y., Reduction of glutamate content in rat superior colliculus after retino-tectal denervation, 299
Santiago, N., see Silva, W.I., 191
Saphier, D., Vasopressin-secreting neurones of the paraventricular nucleus respond to oropharyngeal application of hypertonic saline, 97
Sassetti, I., see Manzoni, O.J.J., 146

Schmid, E.-M., see Neuhaus, J., 163
Schröder, H., see Reuss, S., 196
Schwartz, L., see Diamant, S., 140
Seth, P.K., see Subramoniam, A., 331
Sharma, V.P., see Subramoniam, A., 331
Shashoua, V.E., see Hesse, G.W., 186
Shefchyk, S.J., see McCrea, D.A., 117
Shimazu, T., see Minokoshi, Y., 341
Shupliakov, O.V., see Antonov, S.M., 82
Silva, W.I., Santiago, N., Garcia-Arrarás, J.E. and Carrasquillo, B., Electroimmunoblotting of neuropeptide Y: application to the rat vas deferens, 191
Silverman, P.B., see Gottesfeld, Z., 42
Silverstein, F.S., see McDonald, J.W., 234
Sirinathsinghji, D.J.S., see Mayer, E., 271
Sklarek, J., see Trudrung, P., 277
Sladeczek, F.A.J., see Manzoni, O.J.J., 146
Sorkin, L.S., see Carlton, S.M., 76
Stamford, J.A., Kruk, Z.L. and Millar, J., No mediolateral differences in striatal autoreceptor-mediated modulation of dopamine release: in vivo voltammetric data, 123
Stehle, J., see Reuss, S., 196
Subramoniam, A., Sharma, V.P. and Seth, P.K., Influence of stress on phosphoinositides in rat brain, 331

Takayama, K., Okada, J. and Miura, M., Evidence that neurons of the central amygdaloid nucleus directly project to the site concerned with circulatory and respiratory regulation in the ventrolateral nucleus of the cat: WGA–HRP study, 241
Tamura, R., Ono, T., Fukuda, M. and Nakamura, K., Recognition of egocentric and allocentric visual and auditory space by neurons in the hippocampus of monkeys, 293
Tang, J.-s. see Liu, R.-h., 92
Teruel, V., Villeta, E., Martinez-Garcia, F. and Lorente, M.J., The GABAergic system of the dorsal cortex of lizards: a combined HRP–GABA immunohistochemistry study, 13
Tilson, H.A., see Rogers, B.C., 335
Toffano, G., see Fagioli, S., 212
Tønder, N., Johansen, F.F., Frederickson, C.J., Zimmer, J. and Diemer, N.H., Possible role of zinc in the selective degeneration of dentate hilar neurons after cerebral ischemia in the adult rat, 247
Tononi, G., see Pompeiano, M., 347
Toya, S., see Uchida, K., 282
Troiano, R.A., see Goldenberg, P.Z., 353
Trudrung, P., Waldner, H., Sklarek, J. and Nitsch, C., Lesion patterns of vasoactive intestinal polypeptide-containing neurons in the myenteric plexus induced by clamping or transsection of rat jejunum, 277

Uchida, K., Ishii, A., Kaneda, N., Toya, S., Nagatsu, T. and Kohsaka, S., Tetrahydrobiopterin-dependent production of L-DOPA in NRK fibroblasts transfected with tyrosine hydroxylase cDNA: future use for intracerebral grafting, 282
Ungerstedt, U., see Hurd, Y.L., 227

Van der Neut, R., Oestreicher, A.B., Gispen, W.H. and Bär, P.R., The expression of B-50/GAP-43 during development of rat spinal neurons in culture is regulated by interneuronal contact, 36
Vanderhaeghen, J.-J., see Von Euler, G., 325
Vesselkin, N.P., see Antonov, S.M., 82
Villar, M.J., see Wiesenfeld-Hallin, Z., 217
Villeta, E., see Teruel, V., 13
Vogels, O.J.M., Broere, C.A.J. and Nieuwenhuys, R., Neuronal hypertrophy in the human supraoptic and paraventricular nucleus in aging and Alzheimer's disease, 62
Vollrath, L., see Reuss, S., 196
Von Euler, G., Mailleux, P., Vanderhaeghen, J.-J., and Fuxe, K., Neurotensin reduces the affinity of dopamine D_2 receptors in membranes from post mortem human caudate-putamen, 325

Wakade, A.R., see Bhave, S.V., 201
Wakade, T.D., see Bhave, S.V., 201
Waldner, H., see Trudrung, P., 277
Walro, J., see Kucera, J., 18
Weiss, F., see Hurd, Y.L., 227
Welk, G., see Murphy, S., 152
Westlund, K.N., see Carlton, S.M., 76
Wiberg, M., see Widenfalk, B., 30
Widenfalk, B. and Wiberg, M., Origin of sympathetic and sensory innervation of the temporomandibular joint. A retrograde axonal tracing study in the rat, 30
Wiegandt, H., see Breidbach, O., 265
Wiesenfeld-Hallin, Z., Xu, X.-J., Villar, M.J. and Hökfelt, T., Intrathecal galanin potentiates the spinal analgesic effect of morphine: electrophysiological and behavioural studies, 217
Williams, S., Evan, G. and Hunt, S.P., Spinal c-*fos* induction by sensory stimulation in neonatal rats, 309

Willis, W.D., see Carlton, S.M., 76
Wolburg, H., see Neuhaus, J., 163
Wong, J., see Geddes, J.W., 54

Xu, X.-J., see Wiesenfeld-Hallin, Z., 217

Zhang, D., see Carlton, S.M., 76
Zimmer, J., see Tønder, N., 247